SEQUENCE LISTING

<110> Adams, Thomas R	. •
<120> Water-Deficit-TolerantTransgenic Plants	
<130> 38-21(52578)B	
<160> 10	
<170> PatentIn version 3.2	•
<210> 1 <211> 2480 <212> DNA <213> Artificial	·
<220> <223> transcriptional unit comprising promoter, coding sequence fo transcription factor of SEQ ID NO:2 and terminator elements	r
<400> 1 aggatattaa agtatgtatt catcattaat ataatcagtg tattccaata tgtactacga	60
tttccaatgt ctttattgtc gccgtatgta atcggcgtca caaaataatc cccggtgact	120
	180
ttcttttaat ccaggatgaa ataatatgtt attataattt ttgcgatttg gtccgttata	
ggaattgaag tgtgcttgag ctcggtcgcc accactccca tttcataatt ttacatgtat	240
ttgaaaaata aaaatttatg gtattcaatt taaacacgta tacttgtaaa gaatgatatc	300
ttgaaagaaa tatagtttaa atatttattg ataaaataac aagtcaggta ttatagtcca	360
agcaaaaaca taaatttatt gatgcaagtt taaattcaga aatatttcaa taactgatta	420
tatcagctgg tacattgccg tagatgaaag actgagtgcg atattatgtg taatacataa	480
attgatgata tagctagaac tagtggatcc cccgggccct gcaggctcga gctagtttga	540
gatateceeg ttatggtaet ggggttgeat ataacceatt cettggttgt atgeteeetg	600
ttggcccatc ccttgtgcag ctgagctact tgctcccaca tgaccaaggg catcettttt	660
aattgagcca tcgctagatt ttgcagttaa cttgctatca ccctccatct ctctgtactt	720
ctgcaggtac accttgaggg gttcaatgta gtcttcaaac cccagcgtgg ccatggccca	780
cagcagateg tegecattga tggtetteeg etteteecte tggeaettgt caetegette	840
gctagtgatg aaggagatga actcggagac gcactcctgc acggtctcct tagcgtcctt	900
ggcgatcttc ccgttagccg ggatggtctt cccgttagcc gggatggcct tcttcatgat	960
gegactgatg ttggegatgg geaggaacet gteetgetee etgacgetge eacegeetee	1020
geeteceetg gggeteeege tetegtgget eeegeegeeg eegeeaggge tegeeggage	1080
ttccgccatg gtctacctac aaaaaagctc cgcacgaggc tgcatttgtc acaaatcatg	1140
aaaagaaaaa ctaccgatga acaatgctga gggattcaaa ttctacccac aaaaagaaga	1200
aagaaagatc tagcacatct aagcctgacg aagcagcaga aatatataaa aatataaacc	1260

atagtgccct tttcccctct tcctgatctt gtttagcatg gcggaaattt taaacccccc 1320 1380 atcatetece ecaacaaegg eggategeag atctacatee gagageecea tteecegega gatecgggee ggatecaege eggegagage eccaqeegeg agatecegee eetecegege 1440 accgatetgg gegegeaega ageegeetet egeecaeeca aactaccaag geeaaagate 1500 gagaccgaga cggaaaaaaa aaacggagaa agaaagagga gaggggcggg gtggttaccg 1560 geggeggegg agggggaggg gggaggaget eqteqteegg cagegagggg ggaggagtt 1620 1680 ggcgatgggg ggcgtttctt tggaagcgga gggagggccg gcctcgtcgc tggctcgcga 1740 tectectege gttteeggee eccaegacee ggacecacet getgtttttt ettttettt 1800 tttttctttc ttttttttt tttggctgcg agacgtgcgg tgcgtgcgga caactcacgg 1860 1920 ggttgggttg ggctgggctt gctatggatc gtggatagca ctttgggctt taggacttta 1980 ggggttgttt ttgtaaatgt tttgagtcta agtttatctt ttatttttac tagaaaaaat 2040 acceatgege tgcaaegggg gaaagetatt ttaatettat tattgtteat tgtgagaatt 2100 cgcctqaata tatatttttc tcaaaaatta tgtcaaatta gcatatgggt ttttttaaag 2160 atatttetta tacaaateee tetgtattta caaaageaaa egaaettaaa accegaetea 2220 aatacagata tgcatttcca aaagcgaata aacttaaaaa ccaattcata caaaaatgac 2280 gtatcaaagt accgacaaaa acatcctcaa tttttataat agtagaaaag agtaaatttc 2340 actttgggcc accttttatt accgatattt tactttatac caccttttaa ctgatgtttt 2400 cacttttgac caggtaatet tacetttgtt ttattttgga ctatecegac tetettetea 2460 agcatatgaa tgacctcgag 2480

<210> 2

<211> 185

<212> PRT

<213> Zea mays

<400> 2

Met Ala Glu Ala Pro Ala Ser Pro Gly Gly Gly Gly Ser His Glu
1 10 15

Ser Gly Ser Pro Arg Gly Gly Gly Gly Gly Ser Val Arg Glu Gln
20 25 30

Asp Arg Phe Leu Pro Ile Ala Asn Ile Ser Arg Ile Met Lys Lys Ala 35 40 45

Ile Pro Ala Asn Gly Lys Thr Ile Pro Ala Asn Gly Lys Ile Ala Lys 50 55 60

Asp Ala Lys Glu Thr Val Gln Glu Cys Val Ser Glu Phe Ile Ser Phe 70

Ile Thr Ser Glu Ala Ser Asp Lys Cys Gln Arg Glu Lys Arg Lys Thr

Ile Asn Gly Asp Asp Leu Leu Trp Ala Met Ala Thr Leu Gly Phe Glu 100

Asp Tyr Ile Glu Pro Leu Lys Val Tyr Leu Gln Lys Tyr Arg Glu Met

Glu Gly Asp Ser Lys Leu Thr Ala Lys Ser Ser Asp Gly Ser Ile Lys

Lys Asp Ala Leu Gly His Val Gly Ala Ser Ser Ser Ala Ala Gln Gly

Met Gly Gln Gln Gly Ala Tyr Asn Gln Gly Met Gly Tyr Met Gln Pro

Gln Tyr His Asn Gly Asp Ile Ser Asn

<210> 3

<211> 178 <212> PRT

<213> Zea mays

<400> 3

Met Ala Glu Ala Pro Ala Ser Pro Gly Gly Gly Gly Ser His Glu

Ser Gly Ser Pro Arg Gly Gly Gly Gly Gly Ser Val Arg Glu Gln

Asp Arg Phe Leu Pro Ile Ala Asn Ile Ser Arg Ile Met Lys Lys Ala

Ile Pro Ala Asn Gly Lys Ile Ala Lys Asp Ala Lys Glu Thr Val Gln

Glu Cys Val Ser Glu Phe Ile Ser Phe Ile Thr Ser Glu Ala Ser Asp

Lys Cys Gln Arg Glu Lys Arg Lys Thr Ile Asn Gly Asp Asp Leu Leu 90 95

Trp Ala Met Ala Thr Leu Gly Phe Glu Asp Tyr Ile Glu Pro Leu Lys 100 Val Tyr Leu Gln Lys Tyr Arg Glu Met Glu Gly Asp Ser Lys Leu Thr Ala Lys Ser Ser Asp Gly Ser Ile Lys Lys Asp Ala Leu Gly His Val Gly Ala Ser Ser Ser Ala Ala Glu Gly Met Gly Gln Gln Gly Ala Tyr Asn Gln Gly Met Gly Tyr Met Gln Pro Gln Tyr His Asn Gly Asp Ile Ser Asn <210> <211> 537 <212> DNA <213> Zea mays <400> 4 atggcggaag ctccggcgag ccctggcggc ggcggcggga gccacgagag cgggagcccc 60 aggggaggeg gaggeggtgg cagegteagg gageaggaea ggtteetgee categeeaae 120 atcagtcgca tcatgaagaa ggccatcccg gctaacggga agatcgccaa ggacgctaag 180 gagacegtge aggagtgegt eteegagtte ateteettea teactagega agegagtgae 240 aagtgccaga gggagaagcg gaagaccatc aatggcgacg atctgctgtg ggccatggcc 300 acgctggggt ttgaagacta cattgaaccc ctcaaggtgt acctacagaa gtacagagag 360 atggagggtg atagcaagtt aactgctaaa tctagcgatg gctcgattaa aaaggatgct 420 cttggtcatg tgggagcaag tagctcagct gcagaaggga tgggccaaca gggagcatac 480 aaccaaggaa tgggttatat gcaacctcag taccataacg gggatatctc aaactaa 537 <210> 5 <211> 522 <212> DNA <213> Glycine max <400> 5 atgteggatg egecacegag eeegacteat gagagtgggg gegageagag eeegegeggt 60 tegtegteeg gegegaggga geaggacegg taeeteeega ttgeeaacat cageegeatt 120 atgaagaagg ctctgcctcc caacggcaag attgcaaagg atgccaaaga caccatgcag 180 gaatgcgttt ctgagttcat cagcttcatt accagcgagg cgagtgagaa atgccagaag

gaagaagaaa agacaatcaa tggagacgat ttgctatggg ccatggccac tttaggattt 300 gaaggactaca tagagccgct taaggtgtac ctggctaggt acagagaggc ggagggtgac 360 actaaaggat ctgctagaag tggtgatgga tctgctacac cagatcaagt tggccttgca 420 ggtcaaaatt ctcagcttgt tcatcagggt tcgctgaact atattggttt gcaggtgcaa 480 ccacaacatc tggttatgcc ttcaatgcaa agccatgaat ag 522

<210> 6 <211> 173

<212> PRT

<213> Glycine max

<400> 6

Met Ser Asp Ala Pro Pro Ser Pro Thr His Glu Ser Gly Glu Gln 1 10 15

Ser Pro Arg Gly Ser Ser Ser Gly Ala Arg Glu Gln Asp Arg Tyr Leu 20 25 30

Pro Ile Ala Asn Ile Ser Arg Ile Met Lys Lys Ala Leu Pro Pro Asn 35 40 45

Gly Lys Ile Ala Lys Asp Ala Lys Asp Thr Met Gln Glu Cys Val Ser 50 60

Glu Phe Ile Ser Phe Ile Thr Ser Glu Ala Ser Glu Lys Cys Gln Lys 65 70 75 80

Glu Lys Arg Lys Thr Ile Asn Gly Asp Asp Leu Leu Trp Ala Met Ala 85 90 95

Thr Leu Gly Phe Glu Asp Tyr Ile Glu Pro Leu Lys Val Tyr Leu Ala
100 105 110

Arg Tyr Arg Glu Ala Glu Gly Asp Thr Lys Gly Ser Ala Arg Ser Gly 115 120 125

Asp Gly Ser Ala Thr Pro Asp Gln Val Gly Leu Ala Gly Gln Asn Ser 130 135 140

Gln Leu Val His Gln Gly Ser Leu Asn Tyr Ile Gly Leu Gln Val Gln 145 150 155 160

Pro Gln His Leu Val Met Pro Ser Met Gln Ser His Glu 165 170

<210> 7 <211> 141

```
<212> PRT
 <213> Arabidopsis thaliana
 <400> 7
Met Ala Asp Thr Pro Ser Ser Pro Ala Gly Asp Gly Glu Ser Gly
Gly Ser Val Arg Glu Gln Asp Arg Tyr Leu Pro Ile Ala Asn Ile Ser
                         , 25
           20
Arg Ile Met Lys Lys Ala Leu Pro Pro Asn Gly Lys Ile Gly Lys Asp
 35 40
Ala Lys Asp Thr Val Gln Glu Cys Val Ser Glu Phe Ile Ser Phe Ile
  - 50
                     55
Thr Ser Glu Ala Ser Asp Lys Cys Gln Lys Glu Lys Arg Lys Thr Val
                  70
                      75
Asn Gly Asp Asp Leu Leu Trp Ala Met Ala Thr Leu Gly Phe Glu Asp
              85
                        90
Tyr Leu Glu Pro Leu Lys Ile Tyr Leu Ala Arg Tyr Arg Glu Leu Glu
Gly Asp Asn Lys Gly Ser Gly Lys Ser Gly Asp Gly Ser Asn Arg Asp
       115
                         120
Ala Gly Gly Gly Val Ser Gly Glu Glu Met Pro Ser Trp
                     135
<210> 8
<211> 100
<212> PRT
<213> Artificial
<220>
<223> protein consensus sequence
<220>
<221> MISC FEATURE
<223> Xaa can be Ala or Pro
<220>
<221> MISC FEATURE
<223> Xaa can be Thr or none
<220>
```

<221> MISC FEATURE

<221> MISC_FEATURE

<220>

<223> Xaa \overline{c} an be Ile or none

```
<223> Xaa can be Pro or none
  <220>
  <221> MISC FEATURE
  <223> Xaa can be Ala or none
 <220>
 <221> MISC FEATURE
 <223> Xaa \overline{can} be Asn or none
 <221> MISC FEATURE
 <223>
        Xaa can be Gly or none
 <220>
 <221> MISC FEATURE
 <223> Xaa \overline{c}an be Lys or none
 <220>
 <221> MISC_FEATURE
 <223> Xaa \overline{c}an be Glu or Asp
 <221> MISC_FEATURE
 <223> Xaa can be Val or Met
 <220>
 <221> MISC_FEATURE
 <223> Xaa can be Asp or Glu
 <220>
 <221> MISC_FEATURE
 <223> Xaa can be Arg or Lys
<220>
<221> MISC_FEATURE
<223> Xaa \overline{c}an be Gln or Ala
<220>
<221> MISC_FEATURE
<223> Xaa can be Lys or Arg
<220>
<221> MISC_FEATURE
<223> Xaa can be Met or Ala
<400> 8
Arg Glu Gln Asp Arg Tyr Leu Pro Ile Ala Asn Ile Ser Arg Ile Met
Lys Lys Ala Leu Pro Xaa Asn Gly Lys Xaa Xaa Xaa Xaa Xaa Ile
Ala Lys Asp Ala Lys Xaa Thr Xaa Gln Glu Cys Val Ser Glu Phe Ile
        35
                             40
Ser Phe Ile Thr Ser Glu Ala Ser Kaa Lys Cys Gln Kaa Glu Lys Arg
```

```
Lys Thr Ile Asn Gly Asp Asp Leu Leu Trp Ala Met Ala Thr Leu Gly
                      70
 Phe Glu Asp Tyr Ile Glu Pro Leu Lys Val Tyr Leu Xaa Xaa Tyr Arg
                                                          95
 Glu Xaa Glu Gly
             100
 <210>
 <211> 55
 <212> PRT
 <213> Artificial
 <220>
 <223> consensus protein sequence
 <220>
 <221> MISC FEATURE
 <223> Xaa can be Gln or Glu
 <220>
 <221> MISC_FEATURE
 <222>
       (29)^{-}..()
 <223> Xaa can be Gln or Glu
 <400> 9
Asp Ser Lys Leu Thr Ala Lys Ser Ser Asp Gly Ser Ile Lys Lys Asp
                                     10
Ala Leu Gly His Val Gly Ala Ser Ser Ser Ala Ala Xaa Gly Met Gly
Gln Gln Gly Ala Tyr Asn Gln Gly Met Gly Tyr Met Gln Pro Gln Tyr
                            40
His Asn Gly Asp Ile Ser Asn
<210> 10
<211> 8
<212> PRT
<213> Artificial
<220>
<223> consensus protein sequence
<220>
<221> MISC FEATURE
      Xaa \bar{c}an be any naturally occuring amino acid
<223>
<220>
<221> MISC_FEATURE
<222> (2)..(4)
```

<223> Xaa can be any naturally occuring amino acid <400> 10

Met Xaa Xaa Xaa Pro Xaa Ser Pro 1 5